NMP Online User Update

Issue 39 (Version 16) | 26th November 2024







Table of Contents

1.	Important Note to all NMP Users: - Clear your cache today!	2
2.	Current Soil Sample Rules in NMP	2
3.	Improvement to NMP where an NMP has Expired Soil samples linked to plots	2
4.	Organic Matter and Nutrient Management Planning	3
5.	New Colour layer added – Soil Sample expiry	5
6.	Show related 2022 LPIS Parcels	7
7.	Printing Soil Fertility maps quicker	8
8.	AutoSaving chemical & organic pages	11
9.	Using the tab button on the keyboard in the organic and chemical fertiliser pages	11
10.	Soil Sample Page – importing soil samples template file	12
11.	Lime page	13
12.	Soil Sample page improvements	14
13.	Land Set-up new filters	15
14.	New Warnings to help Users	15
15.	Correction to EPA Layers	16
16.	More print scales added to map viewer	16

1. Important Note to all NMP Users: - Clear your cache today!

- CTRL+F5 for desktop or FN+F5 for laptops and if there is still issues do
- Complete a full Clear Cache if issues still arise (delete browsing history all time)

2. Current Soil Sample Rules in NMP

No soil sample – existing rules in NMP

- If there is no soil sample for a grass crop and the previous year's GSR <130kgs N/ha the sample defaults to <u>P Index 3</u> and the advised fertiliser is updated for this.
- If there is no soil sample for a grass crop and the previous year's GSR >130kgs N/ha the sample defaults to <u>P Index 4</u> and the advised fertiliser is updated for this.
- If there is **no soil sample** for an **arable crop** it defaults to <u>P Index 4</u> and the advised fertiliser is updated for this.

Where there is an in-date valid soil sample – existing rules in NMP

• Where there is an *in-date valid* soil sample for a grass crop or arable crop and the soil sample area then the rules for P Indexes are based on the table below

Table 11: Phosphorus index system

Soil phosphorus index	Soil phosphorus ranges (mg/l)	Soil phosphorus ranges (mg/l)
	Grassland	Other crops
1	0.0 - 3.0	0.0-3.0
2	3.1-5.0	3.1-6.0
3	5.1-8.0	6.1-10.0
4	>8.0	>10.0

3. Improvement to NMP where an NMP has Expired Soil samples linked to plots

Before the date of this Bulletin, if a NMP had expired soil samples attached to plots it was up to the user to remove the soil samples from the plots for the correct N and P allowances to be applied as the soil sample is expired. There is also a DAFM rule that where there is an expired soil sample with P index 4 that P index 4 should continue to be used until it is replaced with an in-date soil sample.

From the date of this bulletin; where expired soil samples are attached to plans; NMP online will now apply the following rules:

- Expired soil samples at P index 1, 2 and 3 will default to P3 for fertiliser allowances
- Expired soil samples at P index 4 will stay at P4 until a new soil sample is assigned to that plot.

From the date of this bulletin NMP online will do this for the user for all plans for all plan years.

• New Warning to help users understand this.

Warning! Plan has Expired Soil Samples attached to plots. These plots have been defaulted to Phosphorus Index 3 or 4 (dependant on NAP regulations).

4. Organic Matter and Nutrient Management Planning

The rules below applies for soils with more than 20% Organic Matter:

• The phosphorus fertilisation rate for soils with more than 20% organic matter shall not exceed the amounts permitted for Index 3 soils, subject to the provisions of paragraph (e

For the purposes of paragraph (d), soils shall be deemed to have an organic matter content of 20% as defined on a Teagasc-EPA Indicative Soils map unless otherwise determined in soil tests carried out in accordance with this article

• Soil analysis is carried out for soil phosphorus and soil organic matter content. Soils shall be deemed to have an organic matter content of 20% as defined on a Teagasc-EPA Indicative Soils map unless otherwise determined in soil texts carried out in accordance with this article

Below is an example of the 'Soils with 20>% Organic Matter' layer, Organic Matter overlays plots 001A and 002A.



New Development below

There is a NEW column in the land setup page that highlights; the plots that overlap with the "Soils with 20>% Organic Matter", layer called OM Map Overlap.

Linked Soil Sample 🔶	OM Map Overlap All ❤	First Crop 👙
	Yes	Grazing
	Yes	Grazing

This column also appears in the soil sample page



From the date of this bulletin; NMP online will apply the following rules without the user having to do anything; as NMP online will apply the rules as per the Nitrates Directive. Where soil sample areas overlap with the "Soils with 20>% Organic Matter" layer the following rules apply.

- Where a soil sample area overlaps with the OM layer then P Index 3 is applied to that soil sample regardless of the soil type associated with that soil sample (where the P result is P 1, 2 or 3).
- Where a soil sample overlaps with the OM layer and the OM Result % from the soil laboratory is <20% then no peat rules will apply.

5. New Colour layer added – Soil Sample expiry

A new colour layer is in map viewer called Soil Sample Expiry. This produces a map that will fill the plots with colour that need to be soil sampled for the farm. This can produce a map to show farmers, soil samplers and farm advisors the soil sample areas that need to be sampled in the current year or the following year.

Note to users:

- If a user creates, a soil sample expiry map for a 2024 NMP will show the expired soil sample in 2024 or expiring in 2024.
- Users are advised to create a 2025 NMP and then create a soil sample expiry map

The layer 'Soils with >20% Organic Matter' is now moved up and is located under the label layers.



The Best way to create a map that will show samples due to expire and Organic Matter areas is to go to map viewer and select the following layers:-

- Colour layer Soil Sample Expiry
- Label Layer Soils with 20>% Organic matter
- Label layer Plot name (plot name also has plot area so if previous soil samples were >5ha, it will now need two samples)

Map output will be like below.



6. Show related 2022 LPIS Parcels

New functionality on the Land Set-up page to help users find related **<u>2022 LPIS parcels</u>**. If a user knows the Eircode of the Farmyard or any parcel that was a BISS parcel in 2022, they can search it using the button below and zoom into the parcel.



When the 'Show Related LPIS' button is selected and the user then clicks into a BISS parcel the system will then highlight all 2022 related BISS for that herd number and will show the BISS parcel clicked into in a dark blue colour and any related BISS parcels in a lighter blue colour. The screen will then zoom out to show all the parcels on the screen.



Under the map users, will see this message

LPIS Parcel (and related LPIS parcels) were identified and highlighted. Repeat a selection by: Select any LPIS parcel on the map to find related LPIS parcels.

This will help users identify all the plots declared on BISS 2022. If a user then plots or uses other land set-up buttons then can still use the Show Related LPIS Button.

To exit this feature, click the X on the right hand side of the map menu page.

7. Printing Soil Fertility maps quicker

The most common maps created on NMP are colour P and K maps along with Lime Requirement maps. Users have asked if the creation of maps can be simplified. From the date of this development there is **NEW** functionality in the Map Viewer page called <u>Add Suggested Maps.</u>

Add Suggested Maps Green Button will appear inactive for a few seconds when this page is opening



- This is to allow the NMP online system to get ready to use this functionality.
- User can select Add Suggested Pages before selecting any layers on the right hand side.
- The system will automatically assign map pages to all lands mapped @ a scale of 1:7,500 as can be seen in the screen shot below.



• User can select one of the print panes (grey boxes) and select edit



• Users can edit the name on the page and the scale at this stage

Edit Print Properties	
Page Title	
Example Farm - P, K and ph Maps	
Scale	
7500	~
Layout	
A4 Portrait	~
Edit the properties for the page defined by the box. When saved, the will be resized to reflect the selected scale and paper layout.	box

- Users can then select the colour, label and other settings at this stage. See example below.
 - Users can still create print panes (grey boxes as they currently do)
 - If users want to use Selected pages and chose not to edit and switch on the layers on the right hand side of the screen using label layers they can still do so <u>BUT</u> must switch on layers first and then select Add Suggested Pages

Color Layers		Labels		who has and cycle-mer waterbooks	
Plots		Soils with 20>%	-	River Waterbody WFD Status 2018-2021	0
Phosphorus (P)		Organic Matter	0	Lake Waterbody WFD Status 2018-2021	
Potassium/Potash		Chemical Fertilisers		Transitional Waterbody WFD Status 2018-2021	0
(K)	2	Plot Name		Targeting Agricultural Measures	
Soil Sample pH		Potassium/Potash		WFD Areas for Actions	
Organic Manures		(K) Index	U	Commonage	
Soil Sample Expiry		Potassium/Potash (K) Value		Forestry	0
		Phosphorus (P)		CORINE Land Cover 2012	
		Index	<u> </u>	NHA	0
		Phosphorus (P) Value		SAC	
		Lime Requirement		SPA	0

User selects print all and get maps like below.



8. AutoSaving chemical & organic pages

The organic and chemical fertiliser pages contain lots of data and users have expressed a change to these pages to make it easier to use and navigate. The save button is now updated so when users move off the page using the menu on the right hand side or the previous/next button is selected the following pop-up will appear.

Unsaved Changes	
There is unsaved data on the page. Do you want to save?	
Save Don't Save	Cancel

- If the user selects **Save** all data will be saved and the next page will appear.
- If the users selects **Don't Save** the data will not be saved and the next page will appear.
- If the users selects **Cancel** the user will be returned to the organic or chemical page.

This will prevent users leaving this page without saving the changes or data entered. There is still the functionality to **Save** as previously and a second save button has introduced to the top of the screen.



9. Using the tab button on the keyboard in the organic and chemical fertiliser pages

From the date of this bulletin when users use the tab button on the keyboard, this will move the user down the column and when at the bottom of the column this will then start down the next column.



Ch	emical Fertilisers	i	_			_		
1	Urea (46%N) +	Pro 💙 🗙	2	18-6-12	~ ×	3 5	0%K (MOP)	~ ×
	0.0	Bags/Acre	1	0.0	Bags/Acre	1	0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	0.0	Bags/Acre		0.0	Bags/Acre		0.0	Bags/Acre
	• 0.0	Bags/Acre		• 0.0	Bags/Acre		0.0	Bags/Acre

10. Soil Sample Page – importing soil samples template file

In the soil sample page there is a **Download Template File**, which allows users to put soil sample data into a CSV file that can be used to import soil samples.



The file format has been changed to a CSV file and the template has been updated. The data to be entered is shown below.

Samp	ole				<mark>рН</mark>	pН	Lim	e Requirem	<mark>ent</mark>		
ID		Sam	ple Reference	Result Date	(Water)	(Buffer/SMP) <mark>(t/h</mark>	a)		P mg/l	K mg/l
	Soil		OM Result			ER				Total	
	Туре	2	%	Magnesium	Copper	Manganese	Zinc	Boron	Cobalt	Mangan	ese

The mandatory data fields are in green above. This functionality will make it quicker for users to import excel files containing soil sample results.

11. Lime page

A liming plan is key to achieving optimal soil fertility. The improvements on this page will help make it easier to understand and implement. The lime page has been updated to help farmers make liming decisions easier and this is reflected in the reports.

- Totals at the bottom are in bold
- Only lime advised is shown (zero's have been removed to make the table easier to read).

							Advised L	ime		
Area (Ha)	÷ Sample ID	\$ Sample Reference	Result 🜲 Date	pH \$ (Water)	pH	Lime Req ‡ (T/Ha)	2024 \$ (T/Ha)	2025 (T/Ha)	2026 (T/Ha)	2027 (T/Ha)
4.00	SS1		16/01/2020	6.10		4.0	4.0			
7.05	SS2		16/01/2020	6.20		3.0	3.0			
1.48	SS2		16/01/2020	6.20		3.0	3.0			
2.29	SS2		16/01/2020	6.20		3.0	3.0			
2.05	SS2		16/01/2020	6.20		3.0	3.0			
2.50	SS2		16/01/2020	6.20		3.0	3.0			
5.38	SS2		16/01/2020	6.20		3.0	3.0			
0.97										
3.42										
5.84										
Four Y	'ear Total (2024-2027):78 t	onnes			Annual Totals ((tonnes):	78	0	0	0

12. Soil Sample page improvements

Users requested improvements to the Soil sample page to help with sorting and filtering. There are filters across the top of the table over every column.

- 1. There is a new functionality to show all soil samples on the page or show 10, 25, 50 or 100
- 2. New layout on the page starting with Sample Details (Sample expiry, Sample ID, Sample reference and Result date)
- 3. NMP Linked Plot **NEW** which includes the sampled area linked to the soil sample and the plot name/s linked to that soil sample
- 4. Soil sample Soil Type as inputted by the soil laboratory at the time the soil sample was taken or the user can input it themselves into the template, OM% result from soil laboratory and OM Map overlay (Section 2 above)
- 5. pH Results now shows the water pH, Buffer/SMP pH and Lime Requirement t/ha

Plan - Soil Sam	ples												00/
< Prev													Next >
Show 10 V	1 entries Showing	Show 1 to 10 of 81 entries	(Unassigned) Historic	Soil Samples No	۷				Show T	race Elements N	0 *	Reset Table	Searches
Sample Expiry (Al)	2 Sumple D	sle Details Sample Reference	Result Date ddimmiyyyy 📑 🕯 ddimmiyyyy 💼	HMP Link Sampled Area (ha) ¢	Plot Name	4 Sol Type	OM Result % (All)	CMIMap Overlay All ❤	st (Wake) From To	pH Results pH (Butler/SMP) From To	Lime Rog tha From To	P and K i P mg1 From To	Results K mpt From ¢ To
	\$\$123	Plot 11	12/10/2024	0.00		Cay			6.30		4.00	4.40	44.00
	Sample 9	1182230	02/03/2023	4.30	40	Loam		No	6.60			9.60	89.00
	Sample 8	1182229	02/03/2023	3.20	4 Huring & Penders	Loam		No	6.30			8.10	57.00
	Sample 7	1162228	02/03/2023	3.30	24	Loam		No	5.80		5.00	7.30	58.00
*	Sample 8	1982227	02/03/2023	4.93	10 Lynams	Loam		No	6.00		2.50	4.90	40.00

13. Land Set-up new filters

Similar to the Soil sample page there are now filters over each of the columns in this page to help users search/filter quicker

Map configu	uration was retriev Add Plot	ed for file: landSetup Draw Plot Boundary	Add LPIS	Show Related LI	PIS					
Show	10 V entrie	es Showing 1 to 10 of 1	4 entries						Reset T	able Searches
Name		Townland 🔶	Digitised Area (ha) From 🗧 To	Plot Ref. Area (ha) From To	Mapped Area (ha) From To	Linked Soil Sample 🛔	OM Map Overlap All ✔	First Crop 🔶	Crop 2	Options
00001		Test Townland	4.00	4.00	13.40	SS1(2020)	No	Grazing		Zoom To

The Reset Table Searches allows users to clear all filters.

14. New Warnings to help Users

• In some NMP's users may be exporting more organic manures than the expected volumes produced for that storage Zone. Users will now see this warning



• Another warning where there is too much home produced P or imported P this warning will appear

Warning! Max P Exceeded, Reduce/Remove Organic Imports or Increase Exports of manures (Intensive enterprises pigs/poultry manures if produced on holding must be exported) to resolve issue

15. Correction to EPA Layers

These layers had the Moderate and Poor colours inconsistent with EPA formatting and from the date of this bulletin, this is now corrected.



16. More print scales added to map viewer

Two new scales have been added to map viewer @ 1:3,500 and 1:7,500 which will give more flexibility for users to create maps at different scales and make it easier to read the map outputs.

Page Title	Custom Layers	
Anthony Hyde		
Scale	Max 220 SR 2024	
7500	Pollution Impact Potential - Nitrates (PIP-N)	
500	Pollution Impact Potential - Phosphorus (PIP-	P)
1000 2500	PIP-P Flow Delivery Paths	
3750	PIP.P Flow Delivery Points	
5000	The Flow Delivery Folits	U
10000	WFD Risk third cycle-river waterbodies	
25000		
50000	River Waterbody WFD Status 2016-2021	
200000	Lake Waterbody WFD Status 2016-2021	
400000		
1250000	Transitional Waterbody WFD Status 2016-202	21
2500000	Targeting Agricultural Measures	
400000	in Serus Lighterer in Capit Ca	
	Clone settings to all pages Clone title to all pages Sa	ave Cance