

Listing of products available in Ireland for parasite control in cattle 2023



LISTOFPRODUCTSPARACONT2023 June





To contribute to an economically, socially and environmentally sustainable farming and agri-food sector through improved animal health and welfare.



How to use this guide

There are a large number of veterinary medicines on the market for parasite control and it is important to choose the correct product that is effective against the parasites that need to be controlled to prevent production losses and reduce the risk of anthelmintic resistance. This guide lists the products currently marketed in Ireland for use against parasites in cattle.

Types of antiparasitics available

The products are grouped as follows:

BENZIMIDAZOLES (BZ)	White drench, broad spectrum wormers
LEVAMISOLE (LV)	Yellow drench, broad spectrum wormers
MACROCYCLIC LACTONES (ML)	Clear drench, includes avermectins, broad spectrum wormers
FLUKICIDES	Effective against liver fluke
COMBINATION PRODUCTS	Active ingredients from multiple groups, usually a wormer and flukicide
ECTOPARASITIC PRODUCTS	Effective against external parasites
COCCIDIOSTATS	Effective against coccidia

The products in this guide are listed by the group of the product, the active ingredient and the parasites they are registered to control against. Different active ingredients target different parasites. Consult with a veterinary practitioner to assist in choosing the correct product for the specific conditions on-farm as part of a parasite control plan.

Withdrawal periods are the amount of time it takes for the animal to clear the drug from its body so that people consuming the animal product (e.g. meat or milk) will not be exposed to trace levels of the medicines. Withdrawal periods do not correspond to the length of time that the treatment is effective. Farmers must comply with the withdrawal period for any medicines used.

Always read the product information on the packaging before use to confirm the withdrawal period – do not rely on this guide as changes can take place

Using antiparasitics effectively

Treat appropriately

- Treat only when needed as part of a farm health plan that includes pasture risk management.
- Use the correct dose: follow the manufacturer's instructions and the indicated dose volume; dose according to the heaviest animal in a group and divide the group if there is a large variation in live weight.
- Use good dosing technique: calibrate equipment, ensure appropriate route of administration and that the anthelmintic is given according to the manufacturer's guidelines.
- Use an anthelmintic effective against the target parasite and its life stage.
- Follow the withdrawal period indicated for the product.

Safe handling

Follow personal safety measures when handling medicinal products. Observe storage guidelines, such as temperature recommendations and shelf life, particularly the reduced shelf life of products that have been opened. Dispose of the packaging and any unused product in an environmentally safe way, with attention to potential contamination of water courses as many products are extremely toxic to fish.

For more information on using anthelmintics effectively please refer to the guide on *Good Practice Regarding the Responsible Use of Anthelmintic Medicines in Livestock* **Click here**.

Always read the package insert or product information sheet before use, particularly to confirm the withdrawal periods and usage information

While we have made every effort to provide accurate, up to date information on the products available, recent changes to the product specification may not be captured. Always read the package insert or product information sheet before use, particularly to confirm the withdrawal periods and usage information. The most updated information on any product is available at the HPRA website. Any errors or omissions can be reported to pc@animalhealthireland.ie

All information was captured from the HPRA and EMA websites (<u>www.HPRA.ie</u>, <u>www.ema.europa.eu/</u>) on 16th June 2023.

BENZIMIDAZOLES (BZ) (White drench, broad spectrum wormers)

						·			Target F	Parasites								
Active			_						laigeti	arasites						Meat	Milk	Trace
ingredient	Product	Company	Туре	Round-	Lung-	Early	Liver fluke Late		Tape-	Eye-	Warbles	Lice	Mites	Ticks	Flies	withdrawal	withdrawal	Element
				worm	worm	immature	immature	Adult	worm	worm								
Albendazole	Albencare with Selenium Oral Suspension	Ancare	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	Se
Albendazole	Albex 10 % Oral Suspension	Chanelle Pharma	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	
Albendazole	Albex 2.5 % Oral Suspension	Chanelle Pharma	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	
Albendazole	Albex Gold 200 mg/ml Oral Suspension for Cattle	Chanelle Pharma	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	72 hours	
Albendazole	Bovitec Plus Oral Suspension	J&M Veterinary	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	Se
Albendazole	Endospec 100 mg/ml SC Oral Suspension for Cattle and Sheep	Bimeda Animal Health	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	Se, Co
Albendazole	Endospec 25 mg/ml SC Oral Suspension for Cattle and Sheep	Bimeda Animal Health	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	Se, Co
Albendazole	Tramazole 10% Oral Drench	Univet	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	
Albendazole	Tramazole 2.5% Oral Drench	Univet	Oral drench	YES	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	14 days	60 hours	
Fenbendazole	Curazole 10 %w/v Oral Drench	Univet	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	28 days	120 hours	
Fenbendazole	Curazole 5 %w/v Oral Drench	Univet	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	28 days	120 hours	
Fenbendazole	Fenben 10 Oral Suspension	Ancare	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	21 days	Х	
Fenbendazole	Fenbenor 10 % Oral Drench	Pharvet	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	28 days	5 days	
Fenbendazole	Orazole 10% w/v Oral Drench	foran Healthcare	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	28 days	5 days	
Fenbendazole	Panacur 10 % w/v Oral Suspension	Intervet	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	14 days	4 days	
Fenbendazole	Zerofen 10% Oral Suspension	Chanelle Pharma	Oral drench	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	14 days	96 hours	
Fenbendazole	Zerofen 2.5% Oral Suspension	Chanelle Pharma	Oral drench	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	14 days	96 hours	
Oxfendazole	Repidose Ready Pulse	Intervet	Oral bolus	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	7 months	XP	
Oxfendazole	Bovex 2.265%	Chanelle Pharma	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	14 days	84 hours	
Oxfendazole	Oxfencare Oral Suspension	Ancare	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	28 days	4 days	
Oxfendazole	Parafend 2.265 % Oral Suspension	Norbrook Laboratories	Oral drench	YES	YES	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	14 days	5 days	

X - Do not use in lactating animals producing milk for human consumption

XP - Do not use in lactating animals producing milk for human consumption, including a specified period in pregnant animals before calving (see product information)

Levamisole (LV) (Yellow drench, broad spectrum wormers)

									Target F	arasites								
Active ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		. Tape-	Eye-						Meat withdrawal	Milk withdrawal	Trace Element
0				worm	worm	Early immature	Late immature	Adult	worm	worm	Warbles	Lice	Mites	Ticks	Flies			
Levamisole	Chanaverm Plus Oral Solution	Chanelle Pharma	Oral drench	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	18 days	Х	Со
Levamisole	Levacide Low Volume Worm Drench 75 mg/ml	Norbrook Laboratories	Oral drench	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	14 days	X	
Levamisole	Levacide Pour-on 200 mg/ml	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	21 days	X	
Levamisole	Levacide Injection 75 mg/ml	Norbrook Laboratories	S/C inj	YES	YES	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	14 days	Х	

X- Do not use in lactating animals producing milk for human consumption

S/C inj - Subcutaneous injection

Macrocyclic lactones (ML) (Clear drench, includes avermectins, broad spectrum wormers)

								_			ı	_	_		_		
Active									larget F	arasites						Meat	Milk
ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		Tape-	Eye-	Warbles	Lice	Mites	Ticks	Flies	withdrawal	withdrawal
				worm	worm	Early immature	Late immature	Adult	worm	worm	vvarbies	Lice	Wiites	ricks	Tiles		
Abamectin	Abacare 1% w/v Pour-on Solution	J&M Veterinary	Pour-on	YES	YES	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	35 days	XP
Abamectin	Abinex forte 1 % w/v Pour-on Solution	Bimeda Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	35 days	XP
Abamectin	fortemec 1 % w/v Pour-on Solution	Ancare	Pour-on	YES	YES	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	35 days	XP
Abamectin	Genesis 1% Pour-on Solution	Ancare	Pour-on	YES	YES	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	35 days	XP
Doramectin	Dectomax 5 mg/ml Pour-on Solution for Cattle	Zoetis	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	35 days	XP
Doramectin	Doramax 5 mg/ml Pour-on Solution for Cattle	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	35 days	XP
Doramectin	Taurador 5 mg/ml Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	35 days	XP
Doramectin	DECTOMAX 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Zoetis	S/C IM inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	YES	NO	70 days	XP
Doramectin	Doramax 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Chanelle Pharma	S/C IM inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	YES	NO	70 days	XP
Eprinomectin	Bimeprine 5 mg/ml Pour-on Solution for Cattle	Bimeda Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Elivec 5 mg/ml Pour-on Solution for Cattle	LIVISTO	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Eprecis 5 mg/ml Pour-on Solution for Cattle, Sheep and Goats	Ceva Santé Animale	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Eprinex Multi 5 mg/ml Pour-on for Beef, Dairy Cattle, Sheep and Goats	Boehringer Ingelheim	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Eprizero 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	10 days	Nil
Eprinomectin	Epromec 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	NEOPRINIL POUR-ON 5 mg/ml Pour-on Solution for Cattle	Virbac	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Robonex 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	10 days	Nil
Eprinomectin	Zeromectin 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	15 days	Nil
Eprinomectin	Eprecis 20 mg/ml Solution for Injection for Cattle, Sheep and Goats	Ceva Santé Animale	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	63 days	Nil
Moxidectin	CYDECTIN 0.5% w/v Pour-on for Cattle	Zoetis	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	14 days	6 days
Moxidectin	Cydectin 1 % w/v Solution for Injection for Cattle	Zoetis	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	65 days	XP
Moxidectin	Cydectin 10 % LA Solution for Injection for Cattle	Zoetis	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	108 days	XP

Macrocyclic lactones (ML) (Clear drench, includes avermectins, broad spectrum wormers)

				<u> </u>					, 		•						
Active									Target P	arasites						Meat	Milk
ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		Tape-	Eye-	Warbles	Lice	Mites	Ticks	Flies	withdrawal	withdrawal
				worm	worm	Early immature	Late immature	Adult	worm	worm	War Bies	2,00	lilles	Trens	11103		
Ivermectin	Acomec 5 mg/ml Pour-on Solution for Cattle	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	31 days	XP
Ivermectin	Animec 5 mg/ml Pour-on Solution for Cattle	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	28 days	XP
Ivermectin	Bimectin 0.5% Cattle Pour-on Solution	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	31 days	XP
Ivermectin	Ecomectin 5 mg/ml Pour-on Solution for Cattle	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	31 days	XP
Ivermectin	Enovex 0.5 %w/v Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	28 days	XP
Ivermectin	Imec 5 mg/ml Pour-on Solution for Cattle	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	31 days	XP
Ivermectin	Ivomec Classic Pour-on for Cattle 5 mg/ml	Boehringer Ingelheim	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	15 days	XP
Ivermectin	Kilo-mec 0.5 % Pour-on Solution for Cattle	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	31 days	XP
Ivermectin	Mastermectin 0.5% Pour-on Solution for Cattle	ECO Animal Health	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	31 days	XP
Ivermectin	Medimec 0.5 %w/v Pour-on Solution	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	28 days	XP
Ivermectin	Noromectin 0.5% w/v Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	28 days	XP
Ivermectin	Paramectin 0.5 % Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	28 days	XP
Ivermectin	Topimec 5 mg/ml Pour-on Solution	Chanelle Pharma	Pour-on	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	28 days	XP
Ivermectin	VIRBAMEC Pour-on Solution for Cattle 5 mg/ml	Virbac	Pour-on	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	YES	28 days	XP
lvermectin	Acomec 10 mg/ml Solution for Injection	ECO Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Animec 1 % Solution for Injection	Chanelle Pharma	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Bimectin 1% w/v Solution for Injection	Bimeda Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Ecomectin 10 mg/ml Solution for Injection	ECO Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Enovex 1% w/v Solution for Injection for Cattle, Sheep and Swine	Norbrook Laboratories	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Imec 10 mg/ml Solution for Injection	ECO Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Ivomec Classic Injection for Cattle and Sheep 10 mg/ml	Boehringer Ingelheim	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Kilo-mec 1% Solution for Injection	ECO Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP

XP- Do not use in lactating animals producing milk for human consumption, including a specified period in pregnant animals before calving (see product information) S/C inj- subcutaneous injection • S/C IM inj- Subcutaneous or intra-muscular injection

Macrocyclic lactones (ML) (Clear drench, includes avermectins, broad spectrum wormers)

									Target F	arasites							
Active ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		Tape-	Eye-						Meat withdrawal	Milk withdrawal
				worm	worm	Early immature	Late immature	Adult	worm	worm	Warbles	Lice	Mites	Ticks	Flies		
Ivermectin	Mastermectin 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	ECO Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Noromectin Multi Injection	Norbrook Laboratories	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Panomec 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Boehringer Ingelheim	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Paramectin 1% Solution for Injection	Norbrook Laboratories	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Turbomec Injection for Cattle and Sheep, 1% w/v Solution for Injection	Bimeda Animal Health	S/C inj	YES	YES	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Virbamec Injectable Solution 10 mg/ml	Virbac	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Ivermectin	Virbamec Injectable Solution for Cattle, Swine and Sheep 10 mg/ml	Virbac	S/C inj	YES	YES	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	49 days	XP

XP- Do not use in lactating animals producing milk for human consumption, including a specified period in pregnant animals before calving (see product information)

S/C inj- subcutaneous injection

S/C IM inj- Subcutaneous or intra-muscular injection

Flukicides (Effective against liver fluke)

									Target P	Parasites							
Active ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		Tape-	Eye-					-11	Meat withdrawal	Milk withdrawal
				worm	worm	Early immature	Late immature	Adult	worm	worm	Warbles	Lice	Mites	Ticks	Flies		
Closantel	Flukiver 50 mg/ml Solution for Injection	Elanco	S/C inj	YES	NO	NO	YES	YES	NO	NO	YES	NO	NO	NO	NO	77 days	XP
Closantel	Solantel 200 mg/ml Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	63 days	XP
Nitroxynil	DISTOMICIDE 250 mg/ml Injectable Solution	Laboratorios Ovejero	S/C inj	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	63 days	XP
Nitroxynil	FASCIONIX 34 % inj	Kepro BV	S/C inj	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	Χ
Nitroxynil	FLUCONIX- 340 Sterile Solution for Parenteral Administration in Cattle and Sheep	Interchemie	S/C inj	YES	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	Χ
Nitroxynil	Trodax 340 mg/ml Solution for Injection	Boehringer Ingelheim	S/C inj	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Oxyclozanide	Distocur 34 mg/ml Oral Suspension for Cattle and Sheep	Dopharma	Oral drench	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	13 days	108 hours
Oxyclozanide	Rumenil 34 mg/ml Oral Suspension for Cattle	Chanelle Pharma	Oral drench	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	13 days	108 hours
Oxyclozanide	Zanil Fluke Drench	Intervet	Oral drench	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	13 days	108 hours
Rafoxanide	Ranide 30 mg/ml Oral Drench	Univet	Oral drench	NO	NO	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Rafoxanide	Ridafluke 30 mg/ml Oral Suspension	Chanelle Pharma	Oral drench	NO	NO	NO	NO	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Triclabendazole	Endofluke 100 mg/ml Oral Suspension	Bimeda Animal Health	Oral drench	NO	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	56 days	XP
Triclabendazole	Fasinex 240 mg/ml Oral Suspension for Cattle	Elanco	Oral drench	NO	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	56 days	XP
Triclabendazole	Tribex 10 % Oral Suspension for Cattle	Chanelle Pharma	Oral drench	NO	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	56 days	XP
Triclabendazole	Triclaben 10% Oral Suspension for Cattle	Chanelle Pharma	Oral drench	NO	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	56 days	XP

XP- Do not use in lactating animals producing milk for human consumption, including a specified period in pregnant animals before calving (see product information) S/C inj - subcutaneous injection

Combination products (Active ingredients from multiple groups, usually a wormer and flukicide)

	<u> </u>	<u> </u>															
									Target F	Parasites							
Active ingredient	Product	Company	Туре	Round- worm	Lung- worm	Early immature	Liver fluke Late immature	Adult	Tape- worm	Eye- worm	Warbles	Lice	Mites	Ticks	Flies	Meat withdrawal	Milk withdrawal
Fenbendazole, Rafoxanide	Curafluke 10% w/v Oral Drench	Univet	Oral drench	YES	YES	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	60 days	XP
Fenbendazole, Rafoxanide	Curafluke 5% w/v Oral Drench	Univet	Oral drench	YES	YES	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	60 days	XP
Fenbendazole, Rafoxanide	Fenafluke 5% w/v Oral Suspension	Pharvet	Oral drench	YES	YES	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	60 days	XP
Fenbendazole, Rafoxanide	Orafluke 10 % w/v Oral Suspension	Interchem	Oral drench	YES	YES	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	60 days	XP
Fenbendazole, Rafoxanide	Orafluke 5 % w/v Oral Suspension	Interchem	Oral drench	YES	YES	NO	YES	YES	YES	NO	NO	NO	NO	NO	NO	60 days	XP
Ivermectin, Clorsulon	Animec Super Solution for Injection	Chanelle Pharma	S/C inj	YES	YES	NO	NO	YES	NO	YES	YES	YES	YES	NO	NO	66 days	XP
lvermectin, Clorsulon	Bimectin Plus Solution for Injection	Bimeda Animal Health	S/C inj	YES	YES	NO	NO	YES	NO	YES	YES	YES	YES	NO	NO	66 days	XP
Ivermectin, Clorsulon	Ivomec Super Injection for Cattle	Boehringer Ingelheim	S/C inj	YES	YES	NO	NO	YES	NO	YES	YES	YES	YES	NO	NO	66 days	XP
Ivermectin, Clorsulon	Topimec Super Solution for Injection	Chanelle Pharma	S/C inj	YES	YES	NO	NO	YES	NO	YES	YES	YES	YES	NO	NO	66 days	X
Ivermectin, Clorsulon	Virbamec Super Solution for Injection	Virbac	S/C inj	YES	YES	NO	NO	YES	NO	NO	YES	YES	YES	NO	NO	66 days	XP
Ivermectin, Closantel	Closamectin 5 mg/ml + 200 mg/ml Pour-on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	YES	YES	NO	YES	YES	YES	YES	NO	NO	58 days	XP
Ivermectin, Closantel	Closivet 5 mg/ml + 200 mg/ml Pour- on Solution for Cattle	Norbrook Laboratories	Pour-on	YES	YES	NO	YES	YES	NO	YES	YES	YES	YES	NO	NO	58 days	XP
Ivermectin, Closantel	Closamectin Solution for Injection for Cattle	Norbrook Laboratories	S/C inj	YES	YES	NO	YES	YES	NO	YES	YES	YES	YES	NO	NO	49 days	XP
Levamisole, Oxyclozanide	Levafas Diamond Fluke and Worm Drench	Norbrook Laboratories	Oral drench	YES	YES	NO	NO	YES	NO	NO	NO	NO	NO	NO	NO	28 days	X
Levamisole, Rafoxanide	Chan Broad Spec Oral Suspension	Chanelle Pharma	Oral drench	YES	YES	NO	NO	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Levamisole, Rafoxanide	Triazole Fluke and Worm Drench	Pharvet	Oral drench	YES	YES	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Levamisole, Rafoxanide	Univet Multidose Fluke and Worm Drench	Univet	Oral drench	YES	YES	NO	YES	YES	NO	NO	NO	NO	NO	NO	NO	60 days	XP
Moxidectin, Triclabendazole	Cydectin TriclaMox 5 mg/ml + 200 mg/ml Pour-on Solution for Cattle	Zoetis	Pour-on	YES	YES	YES	YES	YES	NO	NO	NO	YES	NO	NO	NO	143 days	XPA

X - Do not use in lactating animals producing milk for human consumption

XP - Do not use in lactating animals producing milk for human consumption, including a specified period in pregnant animals before calving (see product information)

XPA - Do not use in lactating animals producing milk for human consumption at any life stage

S/C inj - subcutaneous injection

Ectoparasitic products (Effective against external parasites)

									Target P	arasites							
Active ingredient	Product	Company	Туре	Round-	Lung-		Liver fluke		Tape-	Eye-						Meat withdrawal	Milk withdrawal
				worm	worm	Early immature	Late immature	Adult	worm	worm	Warbles	Lice	Mites	Ticks	Flies		
Cypermethrin	Flectron Fly Tags 935 mg	Zoetis	Ear tag	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	Nil	Nil
Cypermethrin	Cypercare 2.5%w/v Pour-on Solution	Medivet	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	10 days	Nil
Cypermethrin	Ectospec 2.5% w/v Pour-on Solution	Bimeda Animal Health	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	10 days	Nil
Cypermethrin	Liceban 2.5% w/v Pour-on Solution	Bimeda Animal Health	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	10 days	Nil
Deltamethrin	Butox 7.5 mg/ml Pour-on Suspension	Intervet	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	18 days	12 hours
Deltamethrin	Dectospot 10 mg/ml Pour-on Solution for Cattle and Sheep	Bimeda Animal Health	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	18 days	Nil
Deltamethrin	Deltadot 10 mg/ml Pour-on Solution for Cattle and Sheep	Bimeda Animal Health	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	18 days	Nil
Deltamethrin	Deltanil 10 mg/ml Pour-on Solution for Cattle and Sheep	Virbac	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	17 days	Nil
Deltamethrin	Fly and Lice Spot-on Insecticide 1% w/v	Zoetis	Spot-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	17 days	Nil
Deltamethrin	Spotinor 10 mg/ml Spot-on Solution for Cattle and Sheep	Norbrook Laboratories	Spot-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	YES	17 days	Nil
Flumethrin	Bayticol 10 mg/ml Pour-on Solution	Bayer	Pour-on	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	YES	NO	5 days	10 days

Antiprotozoals

Active ingredient	Product	Company	Туре	Target parasite	Meat withdrawal	Milk withdrawal
Decoquinate	Deccox 60.6 g/kg Premix for Medicated Feeding Stuff	Zoetis	Feed premix	Coccidia	Nil	Х
Diclazuril	Dycoxan 2.5 mg/ml Oral Suspension for Sheep and Cattle	Chanelle Pharma	Oral drench	Coccidia	Nil	Χ
Diclazuril	Vecoxan 2.5 mg/ml Oral Suspension for Lambs and Calves	Elanco	Oral drench	Coccidia	Nil	Х
Toltrazuril	Baycox Multi 50 mg/ml Oral Suspension for Cattle, Swine and Sheep	Bayer	Oral drench	Coccidia	63 days	X
Toltrazuril	Bovicox 50 mg/ml Oral Suspension for Cattle and Sheep	J&M Veterinary	Oral drench	Coccidia	63 days	Х
Toltrazuril	Cevazuril 50 mg/ml, Oral Suspension for Piglets and Calves	Ceva Santé Animale	Oral drench	Coccidia	63 days	Х
Toltrazuril	Chanox Multi 50 mg/ml Oral Suspension for Piglets, Calves and Lambs	Chanelle Pharma	Oral drench	Coccidia	63 days	Х
Toltrazuril	Coxx-Kure 50 mg/ml Oral Suspension for Piglets and Calves	LAPROVET	Oral drench	Coccidia	63 days	Х
Toltrazuril	Ridacox 50 mg/ml Oral Suspension for Cattle and Sheep	J&M Veterinary	Oral drench	Coccidia	63 days	X
Toltrazuril	Tolracol 50 mg/ml Oral Suspension for Swine, Cattle and Sheep	Krka	Oral drench	Coccidia	63 days	Х
Halofuginone	Cryptisel 0.5 Mg/Ml Oral Solution for Calves	LIVISTO	Oral drench	Cryptosporidium	13 days	X
Halofuginone	Halocur 0.5 Mg/Ml Oral Solution for Calves	Intervet International B.V.	Oral drench	Cryptosporidium	13 days	Х
Halofuginone	Halofusol 0.5 Mg/Ml Oral Solution for Calves	Laboratorios Karizoo S.A.	Oral drench	Cryptosporidium	13 days	X
Halofuginone	Kriptazen 0.5 Mg/Ml Oral Solution for Calves	VIRBAC	Oral drench	Cryptosporidium	13 days	X
Halofuginone	Stenorol Crypto 0.5 Mg/Ml Oral Solution for Calves	Huvepharma NV	Oral drench	Cryptosporidium	13 days	X
Imidocarb diproprionate	Imizol 85 mg/ml Solution for Injection	Intervet	S/C inj	Babesia	213 days	21 days

X - Do not use in lactating animals producing milk for human consumption

Product Index

roduct	Active ingredient	Class
bacare 1% w/v Pour-on Solution	Abamectin	Macrocyclic Lactones
binex Forte 1% w/v Pour-on Solution	Abamectin	Macrocyclic Lactones
comec 10 mg/ml Solution for Injection	Ivermectin	Macrocyclic Lactones
comec 5 mg/ml Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
lbencare With Selenium Oral Suspension	Albendazole	Benzimidazoles
lbex 10% Oral Suspension	Albendazole	Benzimidazoles
lbex 2.5% Oral Suspension	Albendazole	Benzimidazoles
lbex Gold 200 mg/ml Oral Suspension for Cattle	Albendazole	Benzimidazoles
nimec 1% Solution for Injection	Ivermectin	Macrocyclic Lactones
nimec 5 mg/ml Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
nimec Super Solution for Injection	Ivermectin, Clorsulon	Combination
aycox Multi 50 mg/ml Oral Suspension for Cattle, Swine and Sheep	Toltrazuril	Coccidiostat
ayticol 10 mg/ml Pour-on Solution	Flumethrin	Ectoparasitic
imectin 0.5% Cattle Pour-on Solution	Ivermectin	Macrocyclic Lactones
imectin 1% w/v Solution for Injection	Ivermectin	Macrocyclic Lactones
imectin Plus Solution for Injection	Ivermectin, Clorsulon	Combination
imeprine 5 mg/ml Pour-on Solution for Cattle	Eprinomectin	Macrocyclic Lactones
ovex 2.265%	Oxfendazole	Benzimidazoles
ovicox 50 mg/ml Oral Suspension for Cattle and Sheep	Toltrazuril	Coccidiostat
ovitec Plus Oral Suspension	Albendazole	Benzimidazoles
utox 7.5 mg/ml Pour-on Suspension	Deltamethrin	Ectoparasitic
ydectin 0.5% w/v Pour-on for Cattle	Moxidectin	Macrocyclic Lactones
evazuril 50 mg/ml, Oral Suspension for Piglets and Calves	Toltrazuril	Coccidiostat
han Broad Spec Oral Suspension	Levamisole, Rafoxanide	Combination
hanaverm Plus Oral Solution	Levamisole	Levamisole
hanox Multi 50 mg/ml Oral Suspension for Piglets, Calves and Lambs	Toltrazuril	Coccidiostat
losamectin 5 mg/ml + 200 mg/ml Pour-on Solution for Cattle	Ivermectin, Closantel	Combination
losamectin Solution for Injection for Cattle	Ivermectin, Closantel	Combination
losivet 5 mg/ml + 200 mg/ml Pour-on Solution for Cattle	Ivermectin, Closantel	Combination
oxx-Kure 50 mg/ml Oral Suspension for Piglets and Calves	Toltrazuril	Coccidiostat
ryptisel 0.5 mg/ml Oral Solution for Calves	Halofuginone	Antiprotozoal
urafluke 10% w/v Oral Drench	Fenbendazole, Rafoxanide	Combination
urafluke 5% w/v Oral Drench	Fenbendazole, Rafoxanide	Combination
urazole 10% w/v Oral Drench	Fenbendazole	Benzimidazoles
urazole 5% w/v Oral Drench	Fenbendazole	Benzimidazoles
ydectin 1% w/v Solution for Injection for Cattle	Moxidectin	Macrocyclic Lactones
ydectin 10% LA Solution for Injection for Cattle	Moxidectin	Macrocyclic Lactones
ydectin Triclamox 5 mg/ml + 200 mg/ml Pour-on Solution for Cattle	Moxidectin, Triclabendazole	
ypercare 2.5% w/v Pour-on Solution	Cypermethrin	Ectoparasitic
ectomax 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Doramectin	Macrocyclic Lactones
		Flukicide
	·	
· · · · · · · · · · · · · · · · · · ·		
istomicide 250 mg/ml Injectable Solution eccox 60.6 g/kg Premix for Medicated Feeding Stuff ectomax 5 mg/ml Pour-on Solution for Cattle ectospot 10 mg/ml Pour-on Solution for Cattle and Sheep eltadot 10 mg/ml Pour-on Solution for Cattle and Sheep eltanil 10 mg/ml Pour-on Solution for Cattle and Sheep	Nitroxynil Decoquinate Doramectin Deltamethrin Deltamethrin Deltamethrin	Flukicide Coccidiostat Macrocyclic Lactones Ectoparasitic Ectoparasitic Ectoparasitic

Product Index

Product	Active ingredient	Class
Distocur 34 mg/ml Oral Suspension for Cattle and Sheep	Oxyclozanide	Flukicide
Doramax 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Doramectin	Macrocyclic Lactones
Doramax 5 mg/ml Pour-on Solution for Cattle	Doramectin	Macrocyclic Lactones
Dycoxan 2.5 mg/ml Oral Suspension for Sheep and Cattle	Diclazuril	Coccidiostat
Ecomectin 10 mg/ml Solution for Injection	Ivermectin	Macrocyclic Lactones
Ecomectin 5 mg/ml Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
Ectospec 2.5% w/v Pour-on Solution	Cypermethrin	Ectoparasitic
Elivec 5 mg/ml Pour-on Solution for Cattle	Eprinomectin	Macrocyclic Lactones
Endofluke 100 mg/ml Oral Suspension	Triclabendazole	Flukicide
Endospec 100 mg/ml sc Oral Suspension for Cattle and Sheep	Albendazole	Benzimidazoles
Endospec 25 mg/ml sc Oral Suspension for Cattle and Sheep	Albendazole	Benzimidazoles
Enovex 0.5% w/v Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
Enovex 1% w/v Solution for Injection for Cattle, Sheep and Swine	Ivermectin	Macrocyclic Lactones
Eprecis 20 mg/ml Solution for Injection for Cattle, Sheep and Goats	Eprinomectin	Macrocyclic Lactones
Eprecis 5 mg/ml Pour-on Solution for Cattle, Sheep and Goats	Eprinomectin	Macrocyclic Lactones
Eprinex Multi 5 mg/ml Pour-on Solution for Cattle, Sheep and Goats	Eprinomectin	Macrocyclic Lactones
Eprizero 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Eprinomectin	Macrocyclic Lactones
Epromec 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Eprinomectin	Macrocyclic Lactones
Fascionix 34% Injection	Nitroxynil	Flukicide
Fluconix- 340 Sterile Solution for Parenteral Administration In Cattle and Sheep	Nitroxynil	Flukicide
Fasinex 240 mg/ml Oral Suspension for Cattle	Triclabendazole	Flukicide
Fenafluke 5% w/v Oral Suspension	Fenbendazole, Rafoxanide	Combination
Fenben 10 Oral Suspension	Fenbendazole	Benzimidazoles
Fenbenor 10% Oral Drench	Fenbendazole	Benzimidazoles
Flectron Fly Tags 935 Mg	Cypermethrin	Ectoparasitic
Flukiver 50 mg/ml Solution for Injection	Closantel	Flukicide
Fly and Lice Spot-on Insecticide 1% w/v	Deltamethrin	Ectoparasitic
Fortemec 1% w/v Pour-on Solution	Abamectin	Macrocyclic Lactones
Genesis 1% Pour-on Solution	Abamectin	Macrocyclic Lactones
Halocur 0.5 mg/ml Oral Solution for Calves	Halofuginone	Antiprotozoal
Halofusol 0.5 mg/ml Oral Solution for Calves	Halofuginone	Antiprotozoal
mec 10 mg/ml Solution for Injection	Ivermectin	Macrocyclic Lactones
mec 5 mg/ml Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
mizol 85 mg/ml Solution for Injection	Imidocarb diproprionate	Antiprotozoal
vomec Classic Injection for Cattle and Sheep 10 mg/ml	Ivermectin	Macrocyclic Lactones
vomec Classic Pour-on for Cattle 5 mg/ml	Ivermectin	Macrocyclic Lactones
vomec Super Injection for Cattle	Ivermectin, Clorsulon	Combination
(ilo-Mec 0.5 % Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
(ilo-Mec 1% Solution for Injection	lvermectin	Macrocyclic Lactones
Kriptazen 0.5 mg/ml Oral Solution for Calves	Halofuginone	Antiprotozoal
evacide Injection 75 mg/ml	Levamisole	Levamisole
Levacide Low Volume Worm Drench 75 mg/ml	Levamisole	Levamisole
	Levamisole	
evacide Pour-on 200 mg/ml		Levamisole
evafas Diamond Fluke and Worm Drench	Levamisole, Oxyclozanide	Combination

Product Index

Product	Active ingredient	Class
Liceban 2.5% w/v Pour-on Solution	Cypermethrin	Ectoparasitic
Mastermectin 0.5% Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
Mastermectin 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Ivermectin	Macrocyclic Lactones
Medimec 0.5% w/v Pour-on Solution	Ivermectin	Macrocyclic Lactones
Neoprinil Pour-on 5 mg/ml Pour-on Solution for Cattle	Eprinomectin	Macrocyclic Lactones
Noromectin 0.5% w/v Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
Noromectin Multi Injection	Ivermectin	Macrocyclic Lactones
Orafluke 10% w/v Oral Suspension	Fenbendazole, Rafoxanide	Combination
Orafluke 5% w/v Oral Suspension	Fenbendazole, Rafoxanide	Combination
Orazole 10% w/v Oral Drench	Fenbendazole	Benzimidazoles
Oxfencare Oral Suspension	Oxfendazole	Benzimidazoles
Panacur 10% w/v Oral Suspension	Fenbendazole	Benzimidazoles
Panomec 10 mg/ml Solution for Injection for Cattle, Sheep and Swine	Ivermectin	Macrocyclic Lactones
Parafend 2.265% Oral Suspension	Oxfendazole	Benzimidazoles
Paramectin 0.5% Pour-on Solution for Cattle	Ivermectin	Macrocyclic Lactones
Paramectin 1% Solution for Injection	Ivermectin	Macrocyclic Lactones
Ranide 30 mg/ml Oral Drench	Rafoxanide	Flukicide
Repidose Ready Pulse	Oxfendazole	Benzimidazoles
Ridacox 50 mg/ml Oral Suspension for Cattle and Sheep	Toltrazuril	Coccidiostat
Ridafluke 30 mg/ml Oral Suspension	Rafoxanide	Flukicide
Robonex 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Eprinomectin	Macrocyclic Lactones
Rumenil 34 mg/ml Oral Suspension for Cattle	Oxyclozanide	Flukicide
Stenorol Crypto 0.5 mg/ml Oral Solution for Calves	Halofuginone	Antiprotozoal
Solantel 200 mg/ml Pour-on Solution for Cattle	Closantel	Flukicide
Spotinor 10 mg/ml Spot-on Solution for Cattle and Sheep	Deltamethrin	Ectoparasitic
Taurador 5 mg/ml Pour-on Solution for Cattle	Doramectin	Macrocyclic Lactones
Tolracol 50 mg/ml Oral Suspension for Swine, Cattle and Sheep	Toltrazuril	Coccidiostat
Topimec 5 mg/ml Pour-on Solution	Ivermectin	Macrocyclic Lactones
Topimec Super Solution for Injection	Ivermectin, Clorsulon	Combination
Tramazole 10% Oral Drench	Albendazole	Benzimidazoles
Tramazole 2.5% Oral Drench	Albendazole	Benzimidazoles
Triazole Fluke and Worm Drench	Levamisole, Rafoxanide	Combination
Tribex 10% Oral Suspension for Cattle	Triclabendazole	Flukicide
Triclaben 10% Oral Suspension for Cattle	Triclabendazole	Flukicide
Trodax 340 mg/ml Solution for Injection	Nitroxynil	Flukicide
Turbomec Injection for Cattle and Sheep, 1% w/v Solution for Injection	Ivermectin	Macrocyclic Lactones
Univet Multidose Fluke and Worm Drench	Levamisole, Rafoxanide	Combination
Virbamec Pour-on Solution for Cattle 5 mg/ml	Ivermectin	Macrocyclic Lactones
/ecoxan 2.5 mg/ml Oral Suspension for Lambs and Calves	Diclazuril	Coccidiostat
/irbamec Injectable Solution 10 mg/ml	Ivermectin	Macrocyclic Lactones
/irbamec Injectable Solution for Cattle, Swine and Sheep 10 mg/ml	Ivermectin	Macrocyclic Lactones
Virbamec Super Solution for Injection	Ivermectin, Clorsulon	Combination
Zanil Fluke Drench	Oxyclozanide	Flukicide
Zerofen 10% Oral Suspension	Fenbendazole	Benzimidazoles
Zerofen 2.5% Oral Suspension	Fenbendazole	Benzimidazoles
Zeromectin 5 mg/ml Pour-on Solution for Beef and Dairy Cattle	Eprinomectin	Macrocyclic Lactones

Further information is available online:

Leaflets are available on the AHI website covering parasite control guidelines and information on specific

parasites: http://animalhealthireland.ie/?page_id=405

www.cattleparasites.org.uk www.scops.org.uk www.teagasc.ie www.icbf.com

While we have made every effort to provide accurate, up to date information on the products available, recent changes to the product specification may not be captured. Always read the package insert or product information sheet before use, particularly to confirm the withdrawal periods and usage information. The most updated information on any product is available at the HPRA website. Any errors or omissions can be reported to ahi@animalhealthireland.ie

All information was captured from the HPRA and EMA websites (HYPERLINK 'http://www.HPRA.ie' www.HPRA.ie, www.ema.europa.eu/) on 16th June 2023.

THIS DOCUMENT HAS BEEN PREPARED BY THE ANIMAL HEALTH IRELAND PARASITE CONTROL TECHNICAL WORKING GROUP.

Chair: James O'Shaughnessy (DAFM), Charles Chavasse (Zoetis), Bosco Cowley (MSD Animal Health), Martin Danaher (Teagasc), Theo de Waal (UCD), John Gilmore (Private Veterinary Practitioner), Fintan Graham (Private Veterinary Practitioner), Ian Hogan (DAFM), Orla Keane (Teagasc), Mark McGee (Teagasc), Grace Mulcahy (UCD), Mark Robinson (Queen's University), Maresa Sheehan (DAFM), Bruce Thompson (Dairy Farmer), Annetta Zintl (UCD).

Rapporteur: Natascha Meunier (AHI).

INTELLECTUAL PROPERTY

All images contained in this leaflet are the property of AHI, or have been included with the permission of the owner. Please seek permission from AHI if you wish to use these images and provide the correct attribution of ownership when reproducing them. If reusing any other material in this leaflet, please attribute AHI as the source.

IMPORTANT NOTICE - DISCLAIMER

This leaflet is issued and shall be read only on the basis that it will not relied upon by any person as a basis for any act or omission or otherwise without obtaining professional veterinary and health and safety verification and advice and that no liability or responsibility to any person is accepted or shall be incurred, and no recourse or claim by any person will be made, by or against AHI, any stakeholder, collaborator, officer, agent, subcontractor or employee of AHI, any member of the Technical Working Group, any contributor to, author, publisher, distributor, reviewer, compiler or promoter of or any other person in respect of or in connection with the leaflet or the contents thereof or any matter omitted therefrom. No representation or guarantee is given, whether by AHI or any other such person, that the contents of this information leaflet are comprehensive, up to date, or free from error or omissions, nor that the advice provided is appropriate in every particular circumstance.

The contents of this information leaflet are not intended to be a substitute for appropriate direct advice from your veterinary practitioner. Appropriate veterinary and health and safety advice should be taken before taking or refraining from taking action in relation to the animal disease dealt with in this information leaflet. The contents of this leaflet may be updated, corrected, varied or superseded from to time by later publications or material on the AHI website and reference should be made to that website accordingly.

Any references in this booklet or links in the AHI website to external websites or other resources are provided for convenience only and the contents thereof are not to be considered as endorsed thereby.

LISTOFPRODUCTSPARACONT2023 June



2–5 The Archways, Carrick-on-Shannon, Co Leitrim N41 WN27.

Phone 071 9671928

Email ahi@animalhealthireland.ie Web www.animalhealthireland.ie