



Insecticides Product Tables

Last Updated April 12th 2023

Teagasc Specialist TILLAGE CROPS REPORT



Insecticides	3
--------------------	---

Insecticides 2023

Insecticide Class	ACTIVE INGREDIENT	PRODUCTS	AGENTS	€/CONTAINER	€/HA	MODE OF ACTION	COMMENTS
Pyrethroids	Deltamethrin 15g/L	Decis Protech	Bayer	xx/1L	8+	Contact Repellent	Aphids (BYDV) 330 ml/ha Aphids (Ear) 420 ml/ha Pea & bean weevil 500 ml/ha
Pyrethroids	Deltamethrin 25g/L	Delta Glob 25EC	DHM	29/1L	6+	Contact Repellent	Aphids (BYDV) 200 ml/ha Aphids (Ear) 250 ml/ha Pea & bean weevil 300 ml/ha
Pyrethroids	Lambda-cyhalothrin 100g/L	Karate Zeon	Syngenta	31/0.25L	6+	Contact Repellent	Aphid (BYDV) 50ml/ha. Aphids on potatoes & pollen beetles 75 ml/ha
Pyrethroids	Lambda-cyhalothrin 100g/L	Sparviero	Unichem	70/1L	4+	Contact Repellent	Aphid (BYDV) 50ml/ha. Aphids on potatoes & pollen beetles 75 ml/ha
Pyrethroids	Lambda-cyhalothrin 100g/L	Karis 10 cs Lambda	Croplink	36/0.25L	7+	Contact Repellent	Aphid (BYDV) 50ml/ha. Aphids on potatoes & pollen beetles 75 ml/ha
Pyrethroids	Lambda-cyhalothrin 100g/L	Ninja Stealth	Syngenta	61/0.5L	6+	Contact Repellent	Aphid (BYDV) 50ml/ha. Aphids on potatoes & pollen beetles 75 ml/ha
Pyrethroids	Lambda-cyhalothrin 50g/L	Markate 50	DHM	22/0.5L	5.0+	Contact Repellent	100ml/ha cereal BYDV. 150 ml/ha for aphids on potatoes and pollen beetles on OSR.
Pyridine	Flonicamid 500 g/kg	TEPPEKI	Whelehans	455/2kg	37	Translaminar and Systemic	TEPPEKI is a feeding inhibitor. 0.14kg/ha Cereals Winter barley GS 1.1 - 28 days before harvest Not recommended on potatoes
Carbamate	Pirimicarb 500g/kg	Aphox	Croplink	80/1kg	22+	Contact + vapour phase	Peas and beans only. Harvest interval 14 days