



ANTIMICROBIAL RESISTANCE (AMR)

Reflect before you inject

AMR – it is a concern for you, your animals, your family and your community

Actions you can take to keep antibiotics working!

- 1. Better Husbandry
- 2. Consult your vet
- 3. Correct diagnosis

- 4. Increase use of vaccines
- 5. Avoid use of antibiotics to prevent disease



Right Animal



Right Dose



FOLLOW THE ABOVE STEPS TO KEEP ANTIBIOTICS WORKING, IT'S RIGHT FOR YOUR ANIMALS, RIGHT FOR YOU, RIGHT FOR YOUR FAMILY, RIGHT FOR YOUR FARM AND RIGHT FOR YOUR COMMUNITY












CRYPTOSPORIDIOSIS

FAECAL-ORAL TRANSMISSION



SCOUR



DIAGNOSIS



DISEASE CONTROL



MANAGING A CALF WITH SCOUR:

REMOVE

REHYDRATE











WHY RUN THE CALFCARE EVENTS?

- More calves born
 - 280,000 more
- Increasingly compact
 - 77% born Jan to March
- Earlier sale of calves

2013 REPLACEMENTS	
Number born	383,000
% calved by 26 months	54%
% never calved	20%












(123) of Colostrum Management


- (1st) milking only
- Feed within (2)hrs of birth
- Feed (3) litres

Milk Replacer Specifications

- Protein content 23-26%
- Fat content 16-20%
- Ash content 7-9%
- Fibre content < 0.1%

4 feeds transition milk = healthier calves















STOCKIMANSHIP

- Herd health management
- Environment
- o Stress

